

Blue Bird Databook
Option 40111 As of 05/01/2026

40111	FLUID, CHASSIS
Usage:	Activity, Canada School Bus, Export, School Bus
S products:	BBCV , T3FE , T3RE , Y3FE , Y3RE , Y3EC
A products:	BBCV , T3FE , T3RE , Y3FE , Y3RE , Y3EC
Location:	Chassis
Category:	Engines\Transmissions FLUIDS, TRANSMISSION
BBCV SUFFIXES	
02	FLUID,TRANSMISSION,SYNTHETIC
	Products: BBCV , T3FE , T3RE , Y3FE , Y3RE
	Usage: Activity, Canada School Bus, Export, School Bus
	FLUID,TRANSMISSION,SYNTHETIC ALLISON SYNTHETIC TRANSMISSION OIL (TRANSYND). REQUIRED ON ALL COMMERCIAL PRODUCTS WITH THE 2000 OR 2400 SERIES TRANSMISSION. TRANSYND OIL EXTENDS THE OIL DRAIN INTERVALS AND IT'S VISCOSITY STABILITY AND RESISTANCE TO THERMAL BREAKDOWN IMPROVES PROTECTION FOR THE TRANSMISSION. SEE OPERATORS MANUAL FOR RECOMMENDED OIL CHANGE INTERVALS.
04	FLUID,ANTIFREEZE,-34 F
	Products: BBCV , T3RE , Y3EC
	Usage: Activity, Canada School Bus, Export, School Bus
	FLUID,ANTIFREEZE,-34 F PROVIDES ANTIFREEZE PROTECTION FOR THE ENGINE COOLING AND HEATING SYSTEMS TO -34 DEGREES FAHRENHEIT.
	Notes: REQUIRES 40197-02, 40197-03, 40197-04 OR 40197-06 EV POWERTRAIN.
08	ANTIFREEZE,ES COMPLEAT OAT
	Products: BBCV , T3FE , T3RE
	Usage: Activity, Canada School Bus, Export, School Bus
	ANTIFREEZE, ES COMPLEAT OAT ES OAT for Cummins. Coolant is ethylene glycol, red, long life, -65F, ASTM D-6210 and EC-1 specification. 5year/12000 hour service life in Cummins.
	Notes: Only available with Cummins engines. Available with Cummins B6.7 and L9 engines. Available with Cummins Export engines: ISC03 40184-18 ISBe3 (Euro3) 40186-01/02/03
11	ANTIFREEZE,ES COMPLEAT,CUMMINS (BLUE)
	Products: BBCV , T3FE , T3RE
	Usage: Activity, Canada School Bus, Export, School Bus
	ANTIFREEZE,ES COMPLEAT,CUMMINS (BLUE) This Standard feature is Cummins/Fleetguard ES Compleat for Cummins Engines Only. This coolant(antifreeze) is a fully formulated extended life coolant with dual borate, phosphate buffer and low silicate formulation for use in all heavy and light duty Cummins Diesel and Natural Gas engines. Ethylene Glycol (EG), Blue, premix 50/50, -34F, Meets both ASTM 6210 and D3306 specifications 2 years, 150,000 Miles or 4000 hours service intervals. Compatible with Fleetguard ES Extender, DCA4 liquid or DCA4 chemical filters. NOTES: Cummins ES Complete (CC2827 (Bulk)) premix 50/50 Ethylene Glycol blue antifreeze is the standard for all Cummins engines, and available with Cummins engines only. Available with Cummins B6.7 and L9 engines Available with Cummins Export engines: ISC03 ISBe3 (Euro3)
12	FLUID,TRANSMISSION
	Products: BBCV , Y3EC
	Usage: Activity, Canada School Bus, Export, School Bus
	FLUID,TRANSMISSION.

	<p>Low viscosity Automatic Transmission Fluid which was optimized for fuel efficiency, anti wear and optimized shift feel performance.</p> <p>NOTES: Required and only available with 40433-02 or 40433-04 (transmission, Automatic)</p>
15	<p>FLUID, ANTIFREEZE, POAT, YELLOW, -34F</p> <p>Products: BBCV, Y3EC</p> <p>Usage: Activity, Canada School Bus, Export, School Bus</p> <p>FLUID, ANTIFREEZE, POAT, YELLOW, -34F</p> <p>PROVIDES ANTIFREEZE PROTECTION FOR THE FORD 7.3L ENGINE COOLING AND HEATING SYSTEMS TO -34 DEGREES FAHRENHEIT. THIS PHOSPHATED ORGANIC ADDITIVE TECHNOLOGY (POAT) CONCENTRATE MEETS FORD ENGINEERING MATERIAL SPECIFICATION WSS-M97B57-A1.</p> <p>NOT AVAILABLE WITH OTHER ANTIFREEZE FEATURES Only available in BBCV with 40166-03 (ENGINE, 7.3L FORD, GASOLINE) OR 40174-05 (ENGINE, 7.3L FORD, PROPANE).</p>
T3FE SUFFIXES	
02	<p>FLUID, TRANSMISSION, SYNTHETIC</p> <p>Products: BBCV, T3FE, T3RE, Y3FE, Y3RE</p> <p>Usage: Activity, Canada School Bus, Export, School Bus</p> <p>FLUID, TRANSMISSION, SYNTHETIC ALLISON SYNTHETIC TRANSMISSION OIL (TRANSYND). REQUIRED ON ALL COMMERCIAL PRODUCTS WITH THE 2000 OR 2400 SERIES TRANSMISSION. TRANSYND OIL EXTENDS THE OIL DRAIN INTERVALS AND IT'S VISCOSITY STABILITY AND RESISTANCE TO THERMAL BREAKDOWN IMPROVES PROTECTION FOR THE TRANSMISSION. SEE OPERATORS MANUAL FOR RECOMMENDED OIL CHANGE INTERVALS.</p>
08	<p>ANTIFREEZE, ES COMPLETE OAT</p> <p>Products: BBCV, T3FE, T3RE</p> <p>Usage: Activity, Canada School Bus, Export, School Bus</p> <p>ANTIFREEZE, ES COMPLETE OAT ES OAT for Cummins. Coolant is ethylene glycol, red, long life, -65F, ASTM D-6210 and EC-1 specification. 5year/12000 hour service life in Cummins.</p> <p>Notes: Only available with Cummins engines. Available with Cummins B6.7 and L9 engines. Available with Cummins Export engines: ISC03 40184-18 ISBe3 (Euro3) 40186-01/02/03</p>
11	<p>ANTIFREEZE, ES COMPLETE, CUMMINS (BLUE)</p> <p>Products: BBCV, T3FE, T3RE</p> <p>Usage: Activity, Canada School Bus, Export, School Bus</p> <p>ANTIFREEZE, ES COMPLETE, CUMMINS (BLUE) This Standard feature is Cummins/Fleetguard ES Complete for Cummins Engines Only.</p> <p>This coolant (antifreeze) is a fully formulated extended life coolant with dual borate, phosphate buffer and low silicate formulation for use in all heavy and light duty Cummins Diesel and Natural Gas engines.</p> <p>Ethylene Glycol (EG), Blue, premix 50/50, -34F, Meets both ASTM 6210 and D3306 specifications 2 years, 150,000 Miles or 4000 hours service intervals.</p> <p>Compatible with Fleetguard ES Extender, DCA4 liquid or DCA4 chemical filters.</p> <p>NOTES: Cummins ES Complete (CC2827 (Bulk)) premix 50/50 Ethylene Glycol blue antifreeze is the standard for all Cummins engines, and available with Cummins engines only. Available with Cummins B6.7 and L9 engines Available with Cummins Export engines: ISC03 ISBe3 (Euro3)</p>
T3RE SUFFIXES	
02	<p>FLUID, TRANSMISSION, SYNTHETIC</p> <p>Products: BBCV, T3FE, T3RE, Y3FE, Y3RE</p> <p>Usage: Activity, Canada School Bus, Export, School Bus</p> <p>FLUID, TRANSMISSION, SYNTHETIC ALLISON SYNTHETIC TRANSMISSION OIL (TRANSYND). REQUIRED ON ALL COMMERCIAL PRODUCTS WITH THE 2000 OR 2400 SERIES TRANSMISSION. TRANSYND OIL EXTENDS THE OIL DRAIN INTERVALS AND IT'S VISCOSITY STABILITY AND RESISTANCE TO THERMAL BREAKDOWN IMPROVES PROTECTION FOR THE TRANSMISSION. SEE OPERATORS MANUAL FOR RECOMMENDED OIL CHANGE INTERVALS.</p>

04	FLUID,ANTIFREEZE,-34 F
	Products: BBCV , T3RE , Y3EC
	Usage: Activity, Canada School Bus, Export, School Bus
	FLUID,ANTIFREEZE,-34 F PROVIDES ANTIFREEZE PROTECTION FOR THE ENGINE COOLING AND HEATING SYSTEMS TO -34 DEGREES FAHRENHEIT.
	Notes: REQUIRES 40197-02, 40197-03, 40197-04 OR 40197-06 EV POWERTRAIN.
08	ANTIFREEZE,ES COMPLEAT OAT
	Products: BBCV , T3FE , T3RE
	Usage: Activity, Canada School Bus, Export, School Bus
	ANTIFREEZE, ES COMPLEAT OAT ES OAT for Cummins. Coolant is ethylene glycol, red, long life, -65F, ASTM D-6210 amd EC-1 specification. 5year/12000 hour service life in Cummins.
	Notes: Only available with Cummins engines. Available with Cummins B6.7 and L9 engines. Available with Cummins Export engines: ISC03 40184-18 ISBe3 (Euro3) 40186-01/02/03
11	ANTIFREEZE,ES COMPLEAT,CUMMINS (BLUE)
	Products: BBCV , T3FE , T3RE
	Usage: Activity, Canada School Bus, Export, School Bus
	ANTIFREEZE,ES COMPLEAT,CUMMINS (BLUE) This Standard feature is Cummins/Fleetguard ES Compleat for Cummins Engines Only. This coolant(antifreeze) is a fully formulated extended life coolant with dual borate, phosphate buffer and low silicate formulation for use in all heavy and light duty Cummins Diesel and Natural Gas engines. Ethylene Glycol (EG), Blue, premix 50/50, -34F, Meets both ASTM 6210 and D3306 specifications 2 years, 150,000 Miles or 4000 hours service intervals. Compatible with Fleetguard ES Extender, DCA4 liquid or DCA4 chemical filters. NOTES: Cummins ES Complete (CC2827 (Bulk)) premix 50/50 Ethylene Glycol blue antifreeze is the standard for all Cummins engines, and available with Cummins engines only. Available with Cummins B6.7 and L9 engines Available with Cummins Export engines: ISC03 ISBe3 (Euro3)
Y3EC SUFFIXES	
04	FLUID,ANTIFREEZE,-34 F
	Products: BBCV , T3RE , Y3EC
	Usage: Activity, Canada School Bus, Export, School Bus
	FLUID,ANTIFREEZE,-34 F PROVIDES ANTIFREEZE PROTECTION FOR THE ENGINE COOLING AND HEATING SYSTEMS TO -34 DEGREES FAHRENHEIT.
	Notes: REQUIRES 40197-02, 40197-03, 40197-04 OR 40197-06 EV POWERTRAIN.
12	FLUID,TRANSMISSION
	Products: BBCV , Y3EC
	Usage: Activity, Canada School Bus, Export, School Bus
	FLUID,TRANSMISSION. Low viscosity Automatic Transmission Fluid which was optimized for fuel efficiency, anti wear and optimized shift feel performance. NOTES: Required and only available with 40433-02 or 40433-04 (transmission,Automatic)
15	FLUID,ANTIFREEZE,POAT,YELLOW,-34F
	Products: BBCV , Y3EC
	Usage: Activity, Canada School Bus, Export, School Bus
	FLUID,ANTIFREEZE,POAT,YELLOW,-34F

	<p>PROVIDES ANTIFREEZE PROTECTION FOR THE FORD 7.3L ENGINE COOLING AND HEATING SYSTEMS TO -34 DEGREES FAHRENHEIT.THIS PHOSPHATED ORGANIC ADDITIVE TECHNOLOGY (POAT) CONCENTRATE MEETS FORD ENGINEERING MATERIAL SPECIFICATION WSS-M97B57-A1.</p> <p>NOT AVAILABLE WITH OTHER ANTIFREEZE FEATURES Only available in BBCV with 40166-03 (ENGINE,7.3L FORD,GASOLINE) OR 40174-05 (ENGINE,7.3L FORD,PROPANE).</p>
Y3FE SUFFIXES	
02	FLUID,TRANSMISSION,SYNTHETIC
	Products: BBCV , T3FE , T3RE , Y3FE , Y3RE
	Usage: Activity, Export
	<p>FLUID,TRANSMISSION,SYNTHETIC ALLISON SYNTHETIC TRANSMISSION OIL (TRANSYND). REQUIRED ON ALL COMMERCIAL PRODUCTS WITH THE 2000 OR 2400 SERIES TRANSMISSION. TRANSYND OIL EXTENDS THE OIL DRAIN INTERVALS AND IT'S VISCOSITY STABILITY AND RESISTANCE TO THERMAL BREAKDOWN IMPROVES PROTECTION FOR THE TRANSMISSION. SEE OPERATORS MANUAL FOR RECOMMENDED OIL CHANGE INTERVALS.</p>

[PRICE](#)